


### PB SUPPORT RINGS



### MAIN FEATURES

The counterpressure ARO-DUROS PB are mounted together with the O-rings. However, these are not seals. O-rings are mounted with diametrically deformed cross-sections due to the force exerted by the contact surfaces. Due to the elastic reaction of the deformed seal, it elastically fills the space and roughness of the contact surfaces, achieving a perfect closure (Fig 1). When the system is activated and pressure is applied, the O-ring moves into the gap and is deformed (Fig. 2), thus achieving a more effective elastic closure. However, when certain pressure values are met, the seal reaches its limits and begins to extrude (Fig 3). For higher pressure values, the seal gets pushed into the natural clearance between both surfaces and when the pressure stops or changes direction and the work cycle is repeated, the seal is pinched and damaged (Fig 4), losing the closure effectiveness and introducing rubber particles into the hydraulic circuit with the possibility of causing serious problems in the control elements of the system.

# PB

### DESCRIPTION

Support rings for O-Ring

### DYNAMIC SURFACE MATERIAL

NBR

### OPERATING CONDITIONS


Hardness: 90 Sh. D

Temperature range: -30°C + 120°C.

### MAIN FEATURES



This seal extrusion phenomenon depends on the pressure values, the hardness of the seal and the clearance between contact surfaces. The extrusion phenomenon is avoided by using counterpressure ARO-DUROS PB. As they are elastic elements of higher hardness, the phenomenon disappears for the same pressure and clearance values.

ARO-DUROS PB are continuous profiles, free of seams and burrs, have tight finishing tolerances and can be stretched when assembled.



THICKNESS	W	T
O-Ring	1.78	1.35
O-Ring	2.62	2.18
O-Ring	3.53	3.00
O-Ring	5.33	4.65
O-Ring	6.99	5.99
		1.40
		1.40
		1.40
		1.90
		2.80

# PB


**Reference      Size O - Ring**

PB 4      1.78 x 1.78

PB 5      2.57 x 1.78

PB 6      2.90 x 1.78

PB 7      3.68 x 1.78

PB 8      4.48 x 1.78

PB 9      5.28 x 1.78

PB 10     6.07 x 1.78

PB 11     7.66 x 1.78

PB 12     9.25 x 1.78

PB 13     10.82 x 1.78

PB 14     12.42 x 1.78

PB 15     14.00 x 1.78

PB 16     15.60 x 1.78

PB 17     17.17 x 1.78

PB 18     18.77 x 1.78

PB 19     20.35 x 1.78

PB 20     21.95 x 1.78

PB 21     23.52 x 1.78

PB 22     25.12 x 1.78

PB 23     26.70 x 1.78

PB 24     28.30 x 1.78

PB 25     29.87 x 1.78

PB 26     31.47 x 1.78

PB 27     33.05 x 1.78

PB 28     34.65 x 1.78

PB 29     37.82 x 1.78

PB 30     41.00 x 1.78

PB 31     44.17 x 1.78

PB 32     47.35 x 1.78

PB 33     50.52 x 1.78

PB 34     53.70 x 1.78

PB 35     56.87 x 1.78

PB 36     60.05 x 1.78

PB 37     63.22 x 1.78

PB 38     66.40 x 1.78

PB 39     69.57 x 1.78

PB 40     72.75 x 1.78

PB 41     75.92 x 1.78

PB 42     82.27 x 1.78

PB 43     88.62 x 1.78

PB 44     94.97 x 1.78

**Reference      Size O - Ring**

PB 45     101.32 x 1.78

PB 46     107.67 x 1.78

PB 47     114.02 x 1.78

PB 48     120.37 x 1.78

PB 49     126.72 x 1.78

PB 50     133.07 x 1.78

PB 106    4.42 x 2.62

PB 107    5.23 x 2.62

PB 108    6.02 x 2.62

PB 109    7.60 x 2.62

PB 110    9.19 x 2.62

PB 156    10.62 x 2.62

PB 111    10.78 x 2.62

PB 112    12.37 x 2.62

PB 113    13.95 x 2.62

PB 114    15.54 x 2.62

PB 115    17.13 x 2.62

PB 116    18.72 x 2.62

PB 117    20.29 x 2.62

PB 118    21.89 x 2.62

PB 119    23.47 x 2.62

PB 120    25.07 x 2.62

PB 121    26.64 x 2.62

PB 122    28.25 x 2.62

PB 123    29.82 x 2.62

PB 124    31.42 x 2.62

PB 125    32.99 x 2.62

PB 126    34.59 x 2.62

PB 127    36.17 x 2.62

PB 128    37.77 x 2.62

PB 129    39.34 x 2.62

PB 130    40.94 x 2.62

PB 131    42.52 x 2.62

PB 132    44.12 x 2.62

PB 133    45.69 x 2.62

PB 134    47.29 x 2.62

PB 135    48.90 x 2.62

PB 136    50.47 x 2.62

PB 137    52.07 x 2.62

PB 138    53.65 x 2.62

**Reference      Size O - Ring**

PB 139    55.25 x 2.62

PB 140    56.82 x 2.62

PB 141    58.42 x 2.62

PB 142    60.00 x 2.62

PB 143    61.60 x 2.62

PB 144    63.17 x 2.62

PB 145    64.77 x 2.62

PB 146    66.35 x 2.62

PB 147    67.95 x 2.62

PB 148    69.52 x 2.62

PB 149    71.12 x 2.62

PB 150    72.69 x 2.62

PB 151    75.87 x 2.62

PB 152    82.22 x 2.62

PB 153    88.57 x 2.62

PB 154    94.93 x 2.62

PB 155    101.27 x 2.62

PB 157    113.97 x 2.62

PB 158    120.32 x 2.62

PB 159    126.67 x 2.62

PB 160    133.02 x 2.62

PB 161    139.37 x 2.62

PB 162    145.72 x 2.62

PB 163    152.07 x 2.62

PB 164    158.42 x 2.62

PB 165    164.77 x 2.62

PB 166    171.13 x 2.62

PB 167    177.47 x 2.62

PB 168    183.82 x 2.62

PB 169    190.17 x 2.62

PB 170    196.52 x 2.62

PB 171    202.87 x 2.62

PB 172    209.22 x 2.62

PB 173    215.57 x 2.62

PB 174    221.93 x 2.62

PB 175    228.28 x 2.62

PB 176    234.63 x 2.62

PB 177    240.98 x 2.62

PB 178    247.33 x 2.62


PB 210    18.64 x 3.53



INTERSEAL, S.A.

40 YEARS HIDRÁULICA - ESTANQUEIDAD

# PB


**Reference      Size O - Ring**

PB 211 20.22 x 3.53

PB 212 21.82 x 3.53

PB 213 23.40 x 3.53

PB 214 24.99 x 3.53

PB 215 26.58 x 3.53

PB 216 28.17 x 3.53

PB 217 29.75 x 3.53

PB 218 31.34 x 3.53

PB 219 32.92 x 3.53

PB 220 34.52 x 3.53

PB 221 36.10 x 3.53

PB 222 37.69 x 3.53

PB 223 40.87 x 3.53

PB 224 44.04 x 3.53

PB 225 47.22 x 3.53

PB 226 50.40 x 3.53

PB 227 53.57 x 3.53

PB 228 56.74 x 3.53

PB 229 59.92 x 3.53

PB 230 63.09 x 3.53

PB 231 66.27 x 3.53

PB 232 69.44 x 3.53

PB 233 72.62 x 3.53

PB 234 75.80 x 3.53

PB 235 78.97 x 3.53

PB 236 82.14 x 3.53

PB 237 85.32 x 3.53

PB 238 88.50 x 3.53

PB 239 91.67 x 3.53

PB 240 94.84 x 3.53

PB 241 98.02 x 3.53

PB 242 101.20 x 3.53

PB 243 104.37 x 3.53

PB 244 107.54 x 3.53

PB 245 110.72 x 3.53

PB 246 113.90 x 3.53

PB 247 117.07 x 3.53

PB 248 120.25 x 3.53

PB 249 123.42 x 3.53

PB 250 126.60 x 3.53

PB 251 129.77 x 3.53

**Reference      Size O - Ring**

PB 252 132.94 x 3.53

PB 253 136.12 x 3.53

PB 254 139.29 x 3.53

PB 255 142.47 x 3.53

PB 256 145.65 x 3.53

PB 257 148.82 x 3.53

PB 258 151.99 x 3.53

PB 259 158.34 x 3.53

PB 260 164.69 x 3.53

PB 261 171.04 x 3.53

PB 262 177.39 x 3.53

PB 263 183.74 x 3.53

PB 264 190.10 x 3.53

PB 265 196.44 x 3.53

PB 266 202.79 x 3.53

PB 267 209.14 x 3.53

PB 268 215.49 x 3.53

PB 269 221.84 x 3.53

PB 270 228.19 x 3.53

PB 271 234.54 x 3.53

PB 272 240.89 x 3.53

PB 273 247.24 x 3.53

PB 274 253.59 x 3.53

PB 275 266.29 x 3.53

PB 276 279.00 x 3.53

PB 277 291.69 x 3.53

PB 278 304.39 x 3.53

PB 279 329.79 x 3.53

PB 280 355.19 x 3.53

PB 281 380.60 x 3.53

PB 325 37.47 x 5.33

PB 326 40.65 x 5.33

PB 327 43.82 x 5.33

PB 328 47.00 x 5.33

PB 329 50.16 x 5.33

PB 330 53.34 x 5.33

PB 331 56.52 x 5.33

PB 332 59.69 x 5.33

PB 333 62.87 x 5.33

PB 334 66.04 x 5.33

**Reference      Size O - Ring**

PB 335 69.22 x 5.33

PB 336 72.40 x 5.33

PB 337 75.57 x 5.33

PB 338 78.74 x 5.33

PB 339 81.92 x 5.33

PB 340 85.09 x 5.33

PB 341 88.27 x 5.33

PB 342 91.44 x 5.33

PB 343 94.62 x 5.33

PB 344 97.80 x 5.33

PB 345 100.97 x 5.33

PB 346 104.14 x 5.33

PB 347 107.32 x 5.33

PB 348 110.49 x 5.33

PB 349 113.67 x 5.33

PB 350 116.84 x 5.33

PB 351 120.02 x 5.33

PB 352 123.19 x 5.33

PB 353 126.37 x 5.33

PB 354 129.54 x 5.33

PB 355 132.72 x 5.33

PB 356 135.89 x 5.33

PB 357 139.07 x 5.33

PB 358 142.24 x 5.33

PB 359 145.42 x 5.33

PB 360 148.60 x 5.33

PB 361 151.77 x 5.33

PB 362 158.12 x 5.33

PB 363 164.47 x 5.33

PB 364 170.82 x 5.33

PB 365 177.17 x 5.33

PB 366 183.52 x 5.33

PB 367 189.87 x 5.33

PB 368 196.22 x 5.33

PB 369 202.57 x 5.33

PB 370 208.92 x 5.33

PB 371 215.27 x 5.33

PB 372 221.62 x 5.33

PB 373 227.97 x 5.33

PB 374 234.32 x 5.33

PB 375 240.67 x 5.33